



2024 CMS Web Interface

PREV-5 (CBE 2372): Breast Cancer Screening

Measure Steward: NCQA

Contents

INTRODUCTION	3
CMS WEB INTERFACE SAMPLING INFORMATION	4
BENEFICIARY SAMPLING	4
NARRATIVE MEASURE SPECIFICATION	5
DESCRIPTION	5
IMPROVEMENT NOTATION	5
INITIAL POPULATION	5
DENOMINATOR.....	5
DENOMINATOR NOTE.....	5
DENOMINATOR EXCLUSIONS.....	5
DENOMINATOR EXCEPTIONS.....	5
NUMERATOR.....	5
NUMERATOR EXCLUSIONS	6
DEFINITION	7
GUIDANCE.....	7
SUBMISSION GUIDANCE	8
PATIENT CONFIRMATION.....	8
SUBMISSION GUIDANCE	9
DENOMINATOR CONFIRMATION	9
SUBMISSION GUIDANCE	10
NUMERATOR SUBMISSION	10
DOCUMENTATION REQUIREMENTS	11
APPENDIX I: PERFORMANCE CALCULATION FLOW	12
APPENDIX II: DOWNLOADABLE RESOURCE MAPPING TABLE	18
APPENDIX III: MEASURE RATIONALE AND CLINICAL RECOMMENDATION STATEMENTS	21
RATIONALE	21
CLINICAL RECOMMENDATION STATEMENTS.....	21
APPENDIX V: USE NOTICES, COPYRIGHTS, AND DISCLAIMERS	22
COPYRIGHT	22

INTRODUCTION

There are a total of 10 individual measures included in the 2024 CMS Web Interface targeting high-cost chronic conditions, preventive care, and patient safety. The measures documents are represented individually and contain measure specific information. The corresponding coding documents are posted separately in an Excel format.

The measure documents are being provided to allow organizations an opportunity to better understand each of the 10 individual measures included in the 2024 CMS Web Interface data submission method. Each measure document contains information necessary to submit data through the CMS Web Interface.

Narrative specifications, supporting submission documentation, and calculation flows are provided within each document. Please review all of the measure documentation in its entirety to ensure complete understanding of these measures.

CMS WEB INTERFACE SAMPLING INFORMATION**BENEFICIARY SAMPLING**

For more information on the sampling process and methodology please refer to the 2024 CMS Web Interface Sampling Document, which will be made available during the performance year at CMS.gov.

NARRATIVE MEASURE SPECIFICATION

DESCRIPTION:

Percentage of women 40 - 74 years of age who had a mammogram to screen for breast cancer in the 27 months prior to the end of the measurement period

IMPROVEMENT NOTATION:

Higher score equals better quality

INITIAL POPULATION:

Women 41 - 74 years of age on the date of the encounter with a visit during the measurement period

DENOMINATOR:

Equals Initial Population

DENOMINATOR NOTE:

The intent of the measure is that starting at age 40 women should have one or more mammograms every 24 months with a 3 month grace period.

DENOMINATOR EXCLUSIONS:

Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy

OR

Patients age 66 and older in Institutional Special Needs Plans (SNP) or residing in long-term care with a POS code 32, 33, 34, 54 or 56 for more than 90 consecutive days during the measurement period

OR

Patients 66 years of age and older with at least one claim/encounter for frailty during the measurement period AND a dispensed medication for dementia during the measurement period or the year prior to the measurement period

OR

Patients 66 years of age and older with at least one claim/encounter for frailty during the measurement period AND either one acute inpatient encounter with a diagnosis of advanced illness or two outpatient, observation, ED or nonacute inpatient encounters on different dates of service with an advanced illness diagnosis during the measurement period or the year prior to the measurement period

Table: Dementia Exclusion Medications

Description	Prescription
Cholinesterase inhibitors	Donepezil Galantamine Rivastigmine
Miscellaneous central nervous system agents	Memantine
Dementia combinations	Donepezil-memantine

DENOMINATOR EXCEPTIONS:

None

NUMERATOR:

Women with one or more mammograms any time on or between October 1 two years prior to the measurement period and the end of the measurement period

NUMERATOR EXCLUSIONS:

Not Applicable

DEFINITION:

Mammography screening is defined by a bilateral screening (both breasts) of breast tissue. If only one breast is present, unilateral screening (one side) must be performed on the remaining breast.

GUIDANCE:

This measure evaluates primary screening. Do not count biopsies, breast ultrasounds, or MRIs because they are not appropriate methods for primary breast cancer screening.

Note: the mammogram should occur within the 27 months prior to the end of the measurement period, and may include screenings performed before the patient was 41 years old.

SUBMISSION GUIDANCE**PATIENT CONFIRMATION**

Establishing patient eligibility for submission requires the following:

- o Determine if the patient's medical record can be found.
 - o If you can locate the medical record, select "Yes."

OR

- o If you cannot locate the medical record, select "No - Medical Record Not Found."

OR

- o Determine if the patient is qualified for the sample.
 - If the patient is deceased, in hospice, moved out of the country or did not have Fee-for-Service (FFS) Medicare as their primary payer select "Not Qualified for Sample", select the applicable reason from the provided drop-down menu, and enter the date the patient became ineligible.

Guidance Patient Confirmation

If "No – Medical Record Not Found" or "Not Qualified for Sample" is selected, the patient is completed but not confirmed. The patient will be "skipped" and another patient must be reported in their place, if available. The CMS Web Interface will automatically skip any patient for whom "No – Medical Record Not Found" or "Not Qualified for Sample" is selected in all other measures into which they have been sampled.

If "Not Qualified for Sample" is selected and the date is unknown, you may enter the last date of the measurement period (i.e., 12/31/2024).

The Measurement Period is defined as January 1 – December 31, 2024.

NOTE:

- **In Hospice:** Select this option if the patient is not qualified for sample due to being in hospice care at any time during the measurement period (this includes non-hospice patients receiving palliative goals or comfort care).
 - **Moved out of Country:** Select this option if the patient is not qualified for sample because they moved out of the country any time during the measurement period.
 - **Deceased:** Select this option if the patient died during the measurement period.
 - **Non-FFS Medicare:** Select this option if the patient was enrolled in Non-FFS Medicare at any time during the measurement period (i.e., commercial payers, Medicare Advantage, Non-FFS Medicare, HMOs, etc.) This exclusion is intended to remove beneficiaries for whom Fee-for-Service Medicare is not the primary payer.
-

SUBMISSION GUIDANCE**DENOMINATOR CONFIRMATION**

- Determine if the patient is qualified for the measure.
 - If the patient is qualified for the measure, select “Yes.”
- OR**
- If there is a denominator exclusion for patient disqualification from the measure, select [“Denominator Exclusion.”](#)
- OR**
- If there is an “other” CMS approved reason for patient disqualification from the measure, select “No - Other CMS Approved Reason.”

Denominator Exclusion and Denominator Exclusion Drug codes can be found in the 2024 CMS Web Interface PREV-5 Coding Document. The Downloadable Resource Mapping Table can be located in Appendix II of this document.

Guidance **Denominator**

If “Denominator Exclusion” or “No – Other CMS Approved Reason” is selected, the patient will be “skipped” and another patient must be reported in their place, if available. The patient will only be removed from the measure for which one of these options was selected, not all CMS Web Interface measures.

Other CMS Approved Reason is reserved for unique cases that are not covered by any of the above stated skip reasons. To gain CMS approval, submit a skip request by selecting Request Other CMS Approved Reason in the patient qualification question for the measure. Note that skip requests can only be submitted manually through the CMS Web Interface.

To submit a skip request, follow these steps:

1. After confirming the beneficiary for the sample, scroll to the measure you would like to skip.
2. When confirming if the beneficiary is qualified for the measure, select Request Other CMS Approved Reason.
3. In the skip request modal, review the organization you are reporting for and provide the submitter’s email address. CMS uses this email to send status updates and/or reach out if further information is needed to resolve the skip request. You also need to provide specific information about the beneficiary’s condition and why it disqualifies the beneficiary from this measure. Never include Personally Identifiable Information (PII) or Protected Health Information (PHI) in the case.

Beneficiaries remain incomplete until CMS resolves the skip request. The CMS Web Interface automatically updates the resolution of a skip request, either approved or denied. Beneficiaries for whom a CMS Approved Reason is approved are marked as Skipped and another beneficiary must be reported in their place, if available.

The intent of the exclusion for individuals age 66 and older residing long-term care facilities, including nursing homes, is to exclude individuals who may have limited life expectancy and increased frailty where the benefit of the process may not exceed the risks. This exclusion is not intended as a clinical recommendation regarding whether the measure’s process is inappropriate for specific populations, instead the exclusions allows clinicians to engage in shared decision making with patients about the benefits and risks of screening when an individual has limited life expectancy. To assess the age for exclusions, the patient’s age on the date of the encounter should be used.

SUBMISSION GUIDANCE

NUMERATOR SUBMISSION

- o Determine if a mammogram to screen for breast cancer was performed any time on or between October 1 two years prior to the measurement period and the end of the measurement period.
- o If a mammogram to screen for breast cancer was performed any time on or between October 1 two years prior to the measurement period and the end of the measurement period, select “Yes.”

OR

- o If a mammogram to screen for breast cancer was not performed any time on or between October 1 two years prior to the measurement period and the end of the measurement period, select “No.”

Numerator codes can be found in the 2024 CMS Web Interface PREV-5 Coding Document. The Downloadable Resource Mapping Table can be located in Appendix II of this document.

Guidance Numerator

NOTE:

- **Total lookback period for a mammogram** includes the measurement year, the year prior to the measurement year, and a 3 month grace period for a total of 27 months. The measure may include screenings performed before the patient was 41 years old.
 - **Documentation in the medical record** must include both of the following: A note indicating the date the breast cancer screening was performed AND the result or findings.
 - **Documentation** of ‘normal’ or ‘abnormal’ is acceptable.
 - **Patient Reported Requirement:** Date and type of test AND result/finding. Patient reported mammograms, when recorded in the medical record, are acceptable for meeting the numerator.
 - **Screening includes:** screening, diagnostic, film, digital or digital breast tomosynthesis (3D) mammography
 - **MRI, Ultrasound and Biopsies** are not considered breast cancer screening for this measure.
 - **Documentation of screening for breast cancer** may be completed during a telehealth encounter.
-

DOCUMENTATION REQUIREMENTS


When submitting data through the CMS Web Interface, the expectation is that medical record documentation is available that supports the action reported in the CMS Web Interface i.e., medical record documentation is necessary to support the information that has been submitted.

Appendix I: Performance Calculation Flow

Disclaimer: Refer to the measure submission document for specific coding and instructions to submit this measure.

Patient Confirmation Flow


Confirmation of the "Medical Record Found", or indicating the patient is "Not Qualified for Sample" with a reason of "In Hospice", "Moved out of Country", "Deceased", or "Non-FFS Medicare", will only need to be done **once** per patient.



*See the posted measure submission document for specific coding and instructions to submit this measure.
 **If date is unknown, enter 12/31/2024

Measure Confirmation Flow for PREV-5

Measure specific reasons a patient is "Not Confirmed" or excluded for "Denominator Exclusion" or "Other CMS Approved Reason" should be evaluated for each measure where the patient appears.




*See the posted measure submission document for specific coding and instructions to submit this measure.

**Further information regarding patient selection for specific disease and patient care measures can be found in the CMS Web Interface Sampling Methodology Document. For patients who have the incorrect gender or date of birth listed, a change of the gender or patient date of birth by the abstractor may result in the patient no longer qualifying for the PREV-5 measure. If this is the case, the system will automatically remove the patient from the measure requirements.

***"Other CMS Approved Reason" may only be selected if the CMS Web Interface updated the resolution of the skip request to be "Approved".

Measure Flow for PREV-5



For Downloadable Resource Mapping Table, go to Appendix II and use the Variable Names located in the appendix along with the applicable tabs within the PREV-5 Coding Document.

SAMPLE CALCULATION:

Performance Rate=

Performance Met (a=188 patients)	=	188 patients	=	81.74%
Denominator (d=230 patients)	=	230 patients	=	

CALCULATION MAY CHANGE PENDING PERFORMANCES MET ABOVE

*See the posted measure submission document for specific coding and instructions to submit this measure.

Patient Confirmation Flow

For 2024, confirmation of the “Medical Record Found”, or indicating the patient is “Not Qualified for Sample” with a reason of “In Hospice”, “Moved out of Country”, “Deceased”, or “Non-FFS Medicare”, will only need to be done **once** per patient.

1. Start Patient Confirmation Flow.
2. Check to determine if Medical Record can be found.
 - a. If no, Medical Record not found, mark appropriately for completion and stop abstraction. This removes the patient from the beneficiary sample for all measures. The patient will be skipped and replaced. Stop processing.
 - b. If yes, Medical Record found, continue processing.
3. Check to determine if Patient Qualified for the sample.
 - a. If no, the patient does not qualify for the sample, select the reason why and enter the date (if date is unknown, enter 12/31/2024) the patient became ineligible for sample. For example; In Hospice, Moved out of Country, Deceased, Non-FFS Medicare. Mark appropriately for completion and stop abstraction. This removes the patient from the beneficiary sample for all measures. The patient will be skipped and replaced. Stop processing.
 - b. If yes, the patient does qualify for the sample; continue to the Measure Confirmation Flow for PREV-5.

Measure Confirmation Flow for PREV-5

For 2024, measure specific reasons a patient is “Not Confirmed” or excluded for “Denominator Exclusion” or “Other CMS Approved Reason” will need to be done for each measure where the patient appears.

1. Start Measure Confirmation Flow for PREV-5. Complete for consecutively ranked patients aged 41 to 74 years. Further information regarding patient selection for specific disease and patient care measures can be found in the CMS Web Interface Sampling Methodology Document. For patients who have the incorrect gender or date of birth listed, a change of the gender or patient date of birth by the abstractor may result in the patient no longer qualifying for the PREV-5 measure. If this is the case, the system will automatically remove the patient from the measure requirements.
2. Check to determine if the patient qualifies for the measure (Denominator Exclusion).
 - a. If no, the patient does not qualify for the measure, select: Denominator Exclusion for patient disqualification. Mark appropriately for completion and stop abstraction. Patient is removed from the performance calculations for this measure. The patient will be skipped and replaced. Stop processing.
 - b. If yes, the patient does qualify for the measure, continue processing.
3. Check to determine if the patient qualifies for the measure (Other CMS Approved Reason).
 - a. If no, the patient does not qualify for the measure, select: No – Other CMS Approved Reason for patient disqualification. Mark appropriately for completion and stop abstraction. Patient is removed from the performance calculations for this measure. The patient will be skipped and replaced. “Other CMS Approved Reason” may only be selected if the CMS Web Interface updated the resolution of the skip request to be “Approved”. Stop processing.
 - b. If yes, the patient does qualify for the measure, continue to the PREV-5 measure flow.

Measure Flow for PREV-5

For Downloadable Resource Mapping Table, go to Appendix II and use the Variable Names located in the appendix along with the applicable tabs within the PREV-5 Coding Document.

1. Start processing 2024 PREV-5 (CBE 2372) Flow for the patients that qualified for sample in the Patient Confirmation Flow and the Measure Confirmation Flow for PREV-5. **Note:** Include remainder of patients listed in CMS Web Interface that were consecutively confirmed and completed for this measure in the denominator. For the sample calculation in the flow these patients would fall into the 'd' category (denominator, i.e. 230 patients).
2. Check to determine if the patient had a mammogram to screen for breast cancer performed any time on or between October 1 two years prior to the measurement period and the end of the measurement period.
 - a. If no, the patient did not have a mammogram performed any time on or between October 1 two years prior to the measurement period and the end of the measurement period; performance is not met and the patient should not be included in the numerator. Stop processing.
 - b. If yes, the patient did have a mammogram performed any time on or between October 1 two years prior to the measurement period and the end of the measurement period, performance is met and the patient will be included in the numerator. For the sample calculation in the flow these patients would fall into the 'a' category (numerator, i.e. 188 patients). Stop processing.

Sample Calculation:

Performance Rate equals Performance Met (a equals 188 patients) divided by Denominator (d equals 230 patients). All equals 188 patients divided by 230 patients. All equals 81.74 percent.

CALCULATION MAY CHANGE PENDING PERFORMANCES MET ABOVE.

Appendix II: Downloadable Resource Mapping Table

Each data element within this measure's denominator or numerator is defined as a pre-determined set of clinical codes. These codes can be found in the 2024 CMS Web Interface PREV-5 Coding Document.

***PREV-5: Breast Cancer Screening**

Measure Component/Excel Tab	Data Element	Variable Name	Coding System(s)
Denominator Exclusion/ Denominator Exclusion Codes/Denominator Exclusion Drug Codes	Exclusion	BILATERAL_MAST_CODE	I9 I10 SNM
		UNILATERAL_LEFT_MAST_CODE <u>AND</u> UNILATERAL_RIGHT_MAST_CODE <u>OR</u> UNILATERAL_UNSPEC_MAST_CODE <u>AND</u> LEFT_QUALIFIER_CODE <u>AND</u> RIGHT_QUALIFIER_CODE	I10 SNM <u>AND</u> I10 SNM <u>OR</u> I9 I10 SNM <u>AND</u> SNM <u>AND</u> SNM (evidence of a right and a left mastectomy)
	Exclusion/66 years and older residing longer than 90 consecutive days	HOUSING_STATUS_CODE <u>AND</u> NURSING_HOME_CODE	LN <u>AND</u> SNM <u>AND</u> residing longer than 90 consecutive days

Measure Component/Excel Tab	Data Element	Variable Name	Coding System(s)
	Exclusion/66 years and older with at least one claim/encounter for frailty <u>AND</u> dispensed dementia medication	FRAILITY_DEVICE_CODE	SNM
		<u>OR</u> MEDICAL_EQUIPMENT_CODE	<u>OR</u> LN
		<u>AND</u> FRAILITY_DEVICE_CODE	<u>AND</u> SNM
		<u>OR</u> FRAILITY_DIAGNOSIS_CODE	<u>OR</u> I10 SNM
		<u>OR</u> FRAILITY_ENCOUNTER_CODE	<u>OR</u> C4 HCPCS
		<u>OR</u> FRAILITY_SYMPTOM_CODE	<u>OR</u> I10 SNM
		<u>AND</u> DEMENTIA_DRUG_CODE	<u>AND</u> RxNorm (Drug EX=Y)

Measure Component/Excel Tab	Data Element	Variable Name	Coding System(s)
	Exclusion/66 years and older with at least one claim/encounter for frailty <u>AND EITHER</u> one acute inpatient encounter <u>WITH</u> advanced illness <u>OR</u> two outpatient, observation, ED or nonacute inpatient encounters on different dates <u>WITH</u> advanced illness	FRAILITY_DEVICE_CODE <u>OR</u> MEDICAL_EQUIPMENT_CODE <u>AND</u> FRAILITY_DEVICE_CODE <u>OR</u> FRAILITY_DIAGNOSIS_CODE <u>OR</u> FRAILITY_ENCOUNTER_CODE <u>OR</u> FRAILITY_SYMPTOM_CODE <u>AND EITHER</u> ACUTE_INPATIENT_CODE <u>WITH</u> ADVANCED_ILLNESS_CODE <u>OR</u> OUTPATIENT_CODE <u>OR</u> EMERGENCY_DEPT_CODE <u>OR</u> NONACUTE_INPATIENT_CODE <u>WITH</u> ADVANCED_ILLNESS_CODE	SNM <u>OR</u> LN <u>AND</u> SNM <u>OR</u> I10 SNM <u>OR</u> C4 HCPCS <u>OR</u> I10 SNM <u>AND EITHER</u> C4 SNM <u>WITH</u> I10 SNM <u>OR</u> C4 HCPCS SNM <u>OR</u> C4 SNM <u>WITH</u> I10 SNM
Numerator/ Numerator Codes	Breast Cancer Screening	MAMMO_CODE	LN

*For EHR mapping, the coding within PREV-5 is considered to be all inclusive.

Appendix III: Measure Rationale and Clinical Recommendation Statements

RATIONALE:

Breast cancer is one of the most common types of cancers, accounting for 15 percent of all new cancer diagnoses in the U.S. (Noone et al, 2018). In 2015, over 3 million women were estimated to be living with breast cancer in the U.S. and it is estimated that 12 percent of women will be diagnosed with breast cancer at some point during their lifetime (Noone et al, 2018).

While there are other factors that affect a woman's risk of developing breast cancer, advancing age is a primary risk factor. Breast cancer is most frequently diagnosed among women ages 55-64; the median age at diagnosis is 62 years (Noone et al, 2018).

The chance of a woman being diagnosed with breast cancer in a given year increases with age. By age 40, the chances are 1 in 68; by age 50 it becomes 1 in 43; by age 60, it is 1 in 29 (American Cancer Society, 2017).

CLINICAL RECOMMENDATION STATEMENTS:

The U.S. Preventive Services Task Force (USPSTF) recommends biennial screening mammography for women aged 40-74 years (B recommendation) (USPSTF, 2023).

The USPSTF concludes that the current evidence is insufficient to assess the balance of benefits and harms of screening mammography in women aged 75 years or older (I statement) (USPSTF, 2016).

The USPSTF concludes that the current evidence is insufficient to assess the benefits and harms of digital breast tomosynthesis (DBT) as a primary screening method for breast cancer (I statement) (USPSTF, 2016).

The USPSTF concludes that the current evidence is insufficient to assess the balance of benefits and harms of adjunctive screening for breast cancer using breast ultrasonography, magnetic resonance imaging in women identified to have dense breasts on an otherwise negative screening mammogram (I statement) (USPSTF, 2016).

The National Comprehensive Cancer Network (NCCN) and the American College of Radiology (ACR) recommend using conventional mammography or DBT for screening women at low, intermediate or high risk for breast cancer (NCCN, 2021) (ACR, 2017).

Appendix V: Use Notices, Copyrights, and Disclaimers

COPYRIGHT

This Physician Performance Measure (Measure) and related data specifications are owned and were developed by the National Committee for Quality Assurance (NCQA). NCQA is not responsible for any use of the Measure. NCQA makes no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures or specifications. NCQA holds a copyright in the Measure.

The Measure can be reproduced and distributed, without modification, for noncommercial purposes (e.g., use by healthcare providers in connection with their practices) without obtaining approval from NCQA. Commercial use is defined as the sale, licensing, or distribution of the Measure for commercial gain, or incorporation of the Measure into a product or service that is sold, licensed or distributed for commercial gain. All commercial uses or requests for modification must be approved by NCQA and are subject to a license at the discretion of NCQA. (C) 2012-2023 National Committee for Quality Assurance. All Rights Reserved.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

Limited proprietary coding is contained in the measure specifications for user convenience. Users of proprietary code sets should obtain all necessary licenses from the owners of the code sets. NCQA disclaims all liability for use or accuracy of any CPT or other codes contained in the specifications.

CPT® codes, descriptions and other data are copyright 2004-2023 American Medical Association. CPT is a trademark of the American Medical Association. No fee schedules, basic units, relative values or related listings are included in CPT. The AMA assumes no liability for the data contained herein. Applicable FARS/DFARS restrictions apply to government use.

LOINC® is copyright 2004-2023 Regenstrief Institute, Inc.

This material contains SNOMED Clinical Terms® (SNOMED CT®) copyright 2004-2023 International Health Terminology Standards Development Organisation. ICD-10 is copyright 2023 World Health Organization. All Rights Reserved.